

# SQUIRE 2.0 (*Standards for Quality Improvement Reporting Excellence*): Revised Publication Guidelines from a Detailed Consensus Process

Greg Ogrinc, MD, MS; Louise Davies, MD, MS; Daisy Goodman, DNP, MPH; Paul Batalden, MD; Frank Davidoff, MD; David Stevens, MD

Perm J 2015 Fall;19(4):65-70

<http://dx.doi.org/10.7812/TPP/15-141>

Editor's Note: This article is being co-published simultaneously with *BMJ Quality and Safety*.

## ABSTRACT

Since the publication of Standards for Quality Improvement Reporting Excellence (SQUIRE 1.0) guidelines in 2008, the science of the field has advanced considerably. In this manuscript we describe the development of SQUIRE 2.0 and its key components. We undertook the revision between 2012 and 2015, using 1) semistructured interviews and focus groups to evaluate SQUIRE 1.0 plus feedback from an international steering group; 2) two face-to-face consensus meetings to develop interim drafts; and 3) pilot testing with authors and a public comment period. SQUIRE 2.0 emphasizes the reporting of three key components of systematic efforts to improve the quality, value, and safety of health care: the use of formal and informal theory in planning, implementing, and evaluating improvement work; the context in which the work is done; and the study of the intervention(s). SQUIRE 2.0 is intended for reporting the range of methods used to improve health care, recognizing that they can be complex and multidimensional. It provides common ground to share these discoveries in the scholarly literature ([www.squire-statement.org](http://www.squire-statement.org)).

health care improvement, and to increase the completeness, precision, and transparency of those reports.

In the intervening years, the reach of systematic efforts to improve the quality, safety, and value of health care has grown. Health professions education worldwide now includes improvement as a standard competency.<sup>7-11</sup> The science of the field also continues to advance through guidance on applying formal and informal theory in the development and interpretation of improvement programs<sup>12</sup>; stronger ways to identify, assess, and describe context<sup>13-16</sup>; recommendations for clearer, more complete descriptions of interventions;<sup>17</sup> and development of initial guidance on how to study an intervention.<sup>18</sup>

In this setting, we have undertaken a revision of SQUIRE 1.0. When we began, it rapidly became apparent that a wide variety of approaches had developed for improving health care, ranging from formative to experimental to evaluative. Rather than limit the revised guidelines to only a few of these, we fashioned them to be applicable across the many methods that are used. We aimed to reflect the dynamic nature of the field, and support its further development. This article describes the development and content of SQUIRE 2.0 (Table 1).

## INTRODUCTION

In 2005, draft publication guidelines for quality-improvement reporting debuted in *Quality and Safety in Health Care*.<sup>1</sup> At that time, publications of scholarly work about health care improvement were often confusing and of limited value. Leaders in the field were working to consolidate the evidence for a science of improvement<sup>2,3</sup> and without guidance on how to write their findings, authors struggled to report their improvement work in a reliable and consistent way.<sup>4,5</sup> These factors influenced the initial publication in 2008 of the Standards for Quality Improvement Reporting Excellence (SQUIRE),<sup>6</sup> which we will refer to as SQUIRE 1.0. The guidelines were developed in an effort to reduce uncertainty about the information deemed to be important in scholarly reports of

## SQUIRE 2.0 DEVELOPMENTAL PATH

We developed SQUIRE 2.0 between 2012 and 2015 in three overlapping phases: 1) evaluation of the initial SQUIRE guidelines, 2) early revisions, and 3) pilot testing with late revisions.

We began the evaluation of SQUIRE 1.0 by collecting data to assess its clarity and usability.<sup>19</sup> Semistructured interviews and focus groups with 29 end-users of SQUIRE 1.0 revealed that many found SQUIRE 1.0 helpful in planning and doing improvement work, but less so in the writing process. This issue was especially apparent in efforts to write about the cyclic, iterative process that often occurs with improvement interventions. SQUIRE 1.0 was seen by many as unnecessarily complex with too much redundancy and lacking a clear distinction between “doing improvement” and “studying

**Greg Ogrinc, MD, MS**, is a Senior Associate Dean for Medical Education in the Geisel School of Medicine at Dartmouth College; Associate Chief of Staff for Education at the White River Junction Veterans Administration Medical Center, VT; and Associate Professor of Community and Family Medicine, of Medicine, and of The Dartmouth Institute for Health Policy and Clinical Practice at the Geisel School of Medicine at Dartmouth College in Hanover, NH. E-mail: [greg.ogrinc@va.gov](mailto:greg.ogrinc@va.gov). **Louise Davies, MD, MS**, is a Senior Scholar in the Quality Scholars Program in the Department of Veterans Affairs Medical Center, White River Junction, VT; and Associate Professor of Surgery at the Geisel School of Medicine and The Dartmouth Institute for Health Policy and Clinical Practice in Hanover, NH. **Daisy Goodman, DNP, MPH**, is a Fellow at the Veterans Administration Quality Scholars Fellowship Program, White River Junction, VT; and an Instructor of Obstetrics and Gynecology and Community and Family Medicine at the Geisel School of Medicine at Dartmouth College in Hanover, NH. **Paul Batalden, MD**, is an Active Emeritus Professor of Pediatrics and Community and Family Medicine at the Geisel School of Medicine and The Dartmouth Institute for Health Policy and Clinical Practice in Hanover, NH. **Frank Davidoff, MD**, is the Editor Emeritus of *Annals of Internal Medicine*; and an Adjunct Professor at The Dartmouth Institute for Health Policy and Clinical Practice and the Geisel School of Medicine at Dartmouth College in Hanover, NH. **David Stevens, MD**, is an Adjunct Professor at The Dartmouth Institute for Health Policy and Clinical Practice in Hanover, NH; and an Editor Emeritus of *BMJ Quality and Safety* in London, United Kingdom; and Senior Fellow of the Institute for Healthcare Improvement in Cambridge, MA.

the improvement.” A recent independent study and editorial also documented and addressed some of these challenges.<sup>20,21</sup>

In the second phase, we convened an international advisory group of 18 experts that included editors, authors, researchers, and improvement professionals. This group met through 3 conference calls, reviewed SQUIRE 1.0 and the results of the end-user evaluation, and provided detailed feedback on successive revisions. This advisory group and additional participants attended 2 consensus conferences in 2013 and 2014 where they engaged in intensive analysis and made recommendations that further guided the revision process.

In the third phase, 44 authors used an interim draft version of the updated SQUIRE guidelines to write sections of a manuscript. Each author then provided comments on the

utility and understandability of the draft guidelines, and in their submitted section, identified the portions of their writing sample that fulfilled the items of that section.<sup>22</sup> We also obtained detailed feedback about this draft version through semistructured interviews with 11 biomedical journal editors. The data from this phase revealed areas needing further clarification and which specific items were prone to misinterpretation. Finally, a penultimate draft was e-mailed to more than 450 individuals around the world, including the advisory group, consensus meeting participants, authors, reviewers, editors, faculty in fellowship programs, and trainees. This version was also posted on the SQUIRE Web site with an invitation for public feedback. We used the information from this process to write SQUIRE 2.0 (Table 1).

<b>Table 1. Revised Standards for Quality Improvement Reporting Excellence (SQUIRE 2.0) publication guidelines</b>	
<b>Text section and item name</b>	<b>Section or item description</b>
Notes to authors	The SQUIRE guidelines provide a framework for reporting new knowledge about how to improve health care The SQUIRE guidelines are intended for reports that describe system-level work to improve the quality, safety, and value of health care, and used methods to establish that observed outcomes were due to the intervention(s) A range of approaches exists for improving health care; SQUIRE may be adapted for reporting any of these Authors should consider every SQUIRE item, but it may be inappropriate or unnecessary to include every SQUIRE element in a particular manuscript The SQUIRE glossary contains definitions of many of the key words in SQUIRE The Explanation and Elaboration document provides specific examples of well-written SQUIRE items, and an in-depth explanation of each item Please cite SQUIRE when it is used to write a manuscript
<b>Title and abstract</b>	
Title	Indicate that the manuscript concerns an initiative to improve health care (broadly defined to include the quality, safety, effectiveness, patient-centeredness, timeliness, cost, efficiency, and equity of health care)
Abstract	Provide adequate information to aid in searching and indexing Summarize all key information from various sections of the text using the abstract format of the intended publication or a structured summary such as: background, local problem, methods, interventions, results, conclusions
<b>Introduction</b>	
<i>Why did you start?</i>	
Problem description	Nature and significance of the local problem
Available knowledge	Summary of what is currently known about the problem, including relevant previous studies
Rationale	Informal or formal frameworks, models, concepts, and/or theories used to explain the problem, any reasons or assumptions that were used to develop the intervention(s), and reasons why the intervention(s) was expected to work
Specific aims	Purpose of the project and of this report
<b>Methods</b>	
<i>What did you do?</i>	
Context	Contextual elements considered important at the outset of introducing the intervention(s)
Intervention(s)	Description of the intervention(s) in sufficient detail that others could reproduce it Specifics of the team involved in the work
Study of the intervention(s)	Approach chosen for assessing the impact of the intervention(s) Approach used to establish whether the observed outcomes were due to the intervention(s)
Measures	Measures chosen for studying processes and outcomes of the intervention(s), including rationale for choosing them, their operational definitions, and their validity and reliability Description of the approach to the ongoing assessment of contextual elements that contributed to the success, failure, efficiency, and cost Methods employed for assessing completeness and accuracy of data
Analysis	Qualitative and quantitative methods used to draw inferences from the data Methods for understanding variation within the data, including the effects of time as a variable
Ethical considerations	Ethical aspects of implementing and studying the intervention(s) and how they were addressed, including, but not limited to, formal ethics review and potential conflict(s) of interest

(Continued on next page.)

(Continued from previous page.)

<b>Results</b>	<i>What did you find?</i>
Results	Initial steps of the intervention(s) and their evolution over time (eg, time-line diagram, flow chart, or table), including modifications made to the intervention during the project Details of the process measures and outcome Contextual elements that interacted with the intervention(s) Observed associations between outcomes, interventions, and relevant contextual elements Unintended consequences such as unexpected benefits, problems, failures, or costs associated with the intervention(s) Details about missing data
<b>Discussion</b>	<i>What does it mean?</i>
Summary	Key findings, including relevance to the rationale and specific aims Particular strengths of the project
Interpretation	Nature of the association between the intervention(s) and the outcomes Comparison of results with findings from other publications Impact of the project on people and systems Reasons for any differences between observed and anticipated outcomes, including the influence of context Costs and strategic trade-offs, including opportunity costs
Limitations	Limits to the generalizability of the work Factors that might have limited internal validity such as confounding, bias, or imprecision in the design, methods, measurement, or analysis Efforts made to minimize and adjust for limitations
Conclusions	Usefulness of the work Sustainability Potential for spread to other contexts Implications for practice and for further study in the field Suggested next steps
<b>Other information</b>	
Funding	Sources of funding that supported this work. Role, if any, of the funding organization in the design, implementation, interpretation, and reporting

## SQUIRE 2.0

Many publication guidelines, including CONSORT (randomized trials), STROBE (observational studies), and PRISMA (systematic reviews) focus on a particular study methodology (www.equator-network.org). In contrast, SQUIRE 2.0 is designed to apply across the many approaches used for systematically improving the quality, safety, and value of health care. Methods range from iterative changes using Plan-Do-Study-Act (PDSA) cycles in single settings to retrospective analyses of large-scale programs to multisite randomized trials. We encourage authors to apply other publication guidelines—particularly those that focus on specific study methods—along with SQUIRE, as appropriate. Authors should carefully consider the relevance of each SQUIRE item but recognize that it is sometimes not necessary, nor even possible, to include each item in a particular manuscript.

SQUIRE 2.0 retains the IMRaD (Introduction, Methods, Results, and Discussion) structure.<sup>23</sup> Although used primarily for reporting research within a spectrum of study designs, this structure expresses the underlying logic of most systematic investigations and is familiar to authors, editors, reviewers, and readers. We continue to use A Bradford Hill's four fundamental questions for writing: Why did you start? What did you do? What did you find? What does it mean?<sup>24</sup> In our evaluation of SQUIRE 1.0, novice authors found these questions to be straightforward, clear, and useful.

SQUIRE 2.0 contains 18 items but omits the multiple subitems that were a source of confusion for SQUIRE 1.0 users.<sup>19</sup> A range of approaches exists for improving health care, and SQUIRE may be adapted for reporting any of these. As stated above, authors should consider every SQUIRE item, but it may be inappropriate or unnecessary to include every SQUIRE item in a particular manuscript. In addition, authors need not use items in the order in which they appear. Major changes between SQUIRE 1.0 and 2.0 are concentrated in four areas: 1) terminology, 2) theory, 3) context, and 4) studying the intervention(s).

### Terminology

The elaborate detail in SQUIRE 1.0 was seen by users as both a blessing and a curse<sup>19</sup>: helpful in designing and executing quality-improvement work but less useful in the writing process. The level of detail sometimes led to confusion about what to include or not include in a manuscript. Consequently, we made the items in SQUIRE 2.0 shorter and more direct.

A major challenge in the reporting of systematic efforts to improve health care is the multiplicity of terms used to describe the work, which is challenging for novices and experts alike. Improvement work draws on the epistemology of a variety of fields, and depending on one's field of study, the same words can carry different connotations, a particularly undesirable state of affairs. Terms such as "quality improvement," "implementation science," and "improvement science" refer to approaches that

have many similarities but can also connote important (and often-debated) differences. Other terms such as “health care delivery science,” “patient safety,” and even simply “improvement” are also subject to surprising variation in interpretation. To address this problem in semantics, we created a glossary of terms used in SQUIRE 2.0 (see Sidebar: Glossary of Key Terms Used in SQUIRE 2.0). The glossary provides the intended meaning of certain key terms as we have used them in SQUIRE 2.0 (Table 1). These definitions may be helpful in other endeavors but are not necessarily intended to be adopted for use in other contexts. Overall, we sought terms and definitions that would be useful to the largest possible audience. For example, we chose “intervention(s)” to refer to the changes that are made. We decided not to use the word “improvement” in the individual items (although it remains in the SQUIRE acronym) to encourage authors to report efforts that did not lead to changes for the better. Reporting well-done, negative studies is vital for the learning in this discipline.

### Theory

SQUIRE 2.0 includes a new item titled “Rationale.” Biomedical and clinical research is driven by iterative cycles of

theory building and hypothesis testing. Health care improvement work has not consistently based the planning, design, and execution of its programs solidly in theory, to the detriment of the work. For this reason, SQUIRE 2.0 explicitly includes an item devoted to theory, although we chose to use the broader and less technical label “Rationale,” to encourage authors to be explicit in reporting formal and informal theories, models, concepts, or even hunches as to why they expected a particular intervention to work in a particular context. A plain language interpretation of “Rationale” might be, “Why did you think this would work?” A recent narrative review of the nature of theory and its use in improvement describes the many types and applications of theory, and considers pitfalls in using, and not using, theory.<sup>12</sup>

The addition of the “Rationale” item is intended to encourage clarity around assumptions about the nature of the intervention, the context, and the expected outcomes. The presence of a well thought-out rationale will align with appropriate measures and with the study of the intervention; it may also be the starting point for the next round of work. The “Summary” item in the Discussion section encourages authors to revisit the original rationale in the light of its findings and in the larger context of similar projects.

## GLOSSARY OF KEY TERMS USED IN SQUIRE 2.0

This Glossary provides the intended meaning of selected words and phrases as they are used in the SQUIRE 2.0 Guidelines. They may, and often do, have different meanings in other disciplines, situations, and settings.

**Assumptions:** Reasons for choosing the activities and tools used to bring about changes in health care services at the system level.

**Context:** Physical and sociocultural makeup of the local environment (for example, external environmental factors, organizational dynamics, collaboration, resources, leadership, and the like), and the interpretation of these factors (“sense-making”) by the health care delivery professionals, patients, and caregivers that can affect the effectiveness and generalizability of intervention(s).

**Ethical aspects:** The value of system-level initiatives relative to their potential for harm, burden, and cost to the stakeholders. Potential harms particularly associated with efforts to improve the quality, safety, and value of health care services include opportunity costs, invasion of privacy, and staff distress resulting from disclosure of poor performance.<sup>26</sup>

**Generalizability:** The likelihood that the intervention(s) in a particular report would produce similar results in other settings, situations, or environments (also referred to as external validity).

**Health care improvement:** Any systematic effort intended to raise the quality, safety, and value

of health care services, usually done at the system level. We encourage the use of this phrase rather than “quality improvement,” which often refers to more narrowly defined approaches.

**Inferences:** The meaning of findings or data, as interpreted by the stakeholders in health care services—improvers, health care delivery professionals, and/or patients and families.

**Initiative:** A broad term that can refer to organizationwide programs, narrowly focused projects, or the details of specific interventions (for example, planning, execution, and assessment)

**Internal validity:** Demonstrable, credible evidence for efficacy (meaningful impact or change) resulting from introduction of a specific intervention into a particular health care system.

**Intervention(s):** The specific activities and tools introduced into a health care system with the aim of changing its performance for the better. Complete description of an intervention includes its inputs, internal activities, and outputs (in the form of a logic model, for example), and the mechanism(s) by which these components are expected to produce changes in a system’s performance.<sup>17</sup>

**Opportunity costs:** Loss of the ability to perform other tasks or meet other responsibilities resulting from the diversion of resources needed to introduce, test, or sustain a particular improvement initiative.

**Problem:** Meaningful disruption, failure, inadequacy, distress, confusion, or other dysfunction in a health care service delivery system that adversely affects patients, staff, or the system as a whole, or that prevents care from reaching its full potential.

**Process:** The routines and other activities through which health care services are delivered.

**Rationale:** Explanation of why particular intervention(s) were chosen and why it was expected to work, be sustainable, and be replicable elsewhere.

**Systems:** The interrelated structures, people, processes, and activities that together create health care services for and with individual patients and populations. For example, systems exist from the personal self-care system of a patient, to the individual provider-patient dyad system, to the microsystem, to the macrosystem, and all the way to the market/social/insurance system. These levels are nested within each other.

**Theory or theories:** Any “reason-giving” account that asserts causal relationships between variables (causal theory) or that makes sense of an otherwise obscure process or situation (explanatory theory). Theories come in many forms, and serve different purposes in the phases of improvement work. It is important to be explicit and well-founded about any informal and formal theory or theories that are used.

## Context

SQUIRE 2.0 accepts “context” as the key features of the environment in which the work is immersed and which are interpreted as meaningful to the success, failure, and unexpected consequences of the intervention(s), as well as the relationship of these to the stakeholders (eg, improvement team, clinicians, patients, families, etc).<sup>13-16</sup> Systematic efforts to improve health care should contain clear descriptions and acknowledgment of context, rather than efforts to control it or explain it away. SQUIRE 1.0 included context with items in all sections of the manuscript, but context did not rise to the level of a distinct item itself. SQUIRE 2.0 recognizes context as a fundamental item in the Methods section, but its relevance is not limited to this section. In addition to affecting the development of the rationale and subsequent design of the intervention(s), context plays a key role in the iterations of intervention(s) and the outcomes. Although it is often not simple to capture or describe context, understanding its impact on the design, implementation, measurement, and results make it a vital contributor in identifying and reporting the factors and mechanisms responsible for the success or failure of the intervention(s).

## Studying the Intervention(s)

The study of the intervention is, perhaps, the most challenging item in SQUIRE. In the evaluation of SQUIRE 1.0<sup>19</sup> and in the pilot testing,<sup>22</sup> many were perplexed by this item and its sub-elements. This item was intended to encourage a more formal assessment of the intervention and its associated outcomes. In SQUIRE 2.0, this section is called, “Study of the Intervention(s)” (Table 1).

“Doing” an improvement project is fundamentally different from “studying” it. The primary purpose of “doing” improvement is to produce better local processes and outcomes, rather than to contribute to new generalizable knowledge. In contrast, the reason for “studying” the intervention is mainly to contribute to the body of knowledge about the efficacy and generalizability of efforts for improving health care. Both “doing” and “studying” are required for a deep understanding of the nature and impact of the intervention(s) as well as the possible underlying mechanisms. “Study of the Intervention(s)” focuses mainly on whether and why an intervention “works.” It should align with the rationale and may include, but is not limited to, preplanned formal testing of the proposed theory that the intervention(s) actually produced the observed changes, as well as the impact of the intervention(s) on the context in which the work was done.

SQUIRE 2.0 asks authors to be as transparent, complete, and as accurate as possible about reporting “doing” and “studying” improvement work as both aspects of the work are key to scholarly reporting. The “Summary” and “Interpretation” items in the Discussion encourage authors to explain potential mechanisms by which the intervention(s) resulted (or failed to result) in change, thereby developing explanatory theories that can be subsequently tested.

## CONCLUSIONS

The development of SQUIRE 2.0 consisted of a detailed analysis of SQUIRE 1.0, input from experts in the field, and thorough pilot testing. Many methods and philosophical approaches to improve the quality, safety, and value of health care are available. The systematic efforts to improve health care are often complex and multidimensional, and their effectiveness is inherently context dependent. SQUIRE 2.0 provides common ground on which the discoveries contributed by the various approaches can advance the field by sharing them in the published literature.

At the same time, we recognize that simply publishing SQUIRE 2.0 will not effect this change; additional efforts and resources are required. For example, we have created an explanation and elaboration (E&E) document<sup>25</sup> to accompany this article. For each item in SQUIRE 2.0, the E&E provides one or more examples from the published literature and a commentary on how the example(s) meets or does not meet the item’s standards; this information brings the content of each item to life. The SQUIRE Web site ([www.squire-statement.org](http://www.squire-statement.org)) contains a number of resources in addition to the guidelines themselves, including interactive E&E pages and video commentaries. The Web site supports an emerging online community for the continuous use, conversation about, and evaluation of the guidelines.

Writing about improvement can be challenging. Sharing successes, failures, and developments through scholarly literature is an essential component of the complex work required in order to improve health care services for patients, professionals, and the public. ❖

## Disclosure Statement

*The author(s) have no conflicts of interest to disclose.*

## Acknowledgments

*This material is based on work supported by the Health Foundation and the Robert Wood Johnson Foundation and included the use of facilities and material at the White River Junction Veterans Administration Medical Center in White River Junction, VT, USA.*

## Members of the SQUIRE 2.0 advisory group

Davina Allen, Cardiff University, United Kingdom  
 Ross Baker, University of Toronto, Canada  
 Helen Crisp, Health Foundation, United Kingdom  
 Mary Dixon-Woods, University of Leicester, United Kingdom  
 Don Goldmann, Institute for Healthcare Improvement, USA  
 Steve Goodman, Stanford University, USA  
 Leora Horwitz, New York University, USA  
 Pam Inrondie, Indiana University, USA  
 Peter Margolis, University of Cincinnati, USA  
 Paul Miles, American Board of Pediatrics, USA  
 Shirley Moore, Case Western Reserve University, USA  
 Peter Pronovost, Johns Hopkins University, USA  
 Lisa Rubenstein, University of California, Los Angeles, USA  
 Gwen Sherwood, University of North Carolina, USA  
 Kaveh Shojania, University of Toronto, Canada  
 Richard Thomson, Newcastle University, United Kingdom  
 Charles Vincent, Imperial College London, United Kingdom  
 Hub Wollersheim, Radboud University Medical Center, The Netherlands

## References

- Davidoff F, Batalden P. Toward stronger evidence on quality improvement. Draft publication guidelines: the beginning of a consensus project. *Quality Saf Health Care* 2005 Oct;14(5):319-25. DOI: <http://dx.doi.org/10.1136/qshc.2005.014787>.
- DeVinney B, editor. Expanding research and evaluation designs to improve the science base for health care and public health quality improvement symposium. Meeting summary; 2005 Sep 13-15; Washington, DC. Rockville, MD: Agency for Healthcare Research and Quality; 2005.
- Shojania KG, Grimshaw JM. Evidence-based quality improvement: the state of the science. *Health Aff (Millwood)* 2005 Jan-Feb;24(1):138-50. DOI: <http://dx.doi.org/10.1377/hlthaff.24.1.138>.
- Grol RP, Bosch MC, Hulscher ME, Eccles MP, Wensing M. Planning and studying improvement in patient care: the use of theoretical perspectives. *Milbank Q* 2007;85(1):93-138. DOI: <http://dx.doi.org/10.1111/j.1468-0009.2007.00478.x>.
- Rubenstein LV, Hempel S, Farmer MM, et al. Finding order in heterogeneity: types of quality-improvement intervention publications. *Qual Saf Health Care* 2008 Dec;17(6):403-8. DOI: <http://dx.doi.org/10.1136/qshc.2008.028423>.
- Davidoff F, Batalden P, Stevens D, Ogrinc G, Mooney S; SQUIRE Development Group. Publication guidelines for quality improvement in health care: evolution of the SQUIRE project. *Qual Saf Health Care* 2008 Oct;17 Suppl 1:i3-9. DOI: <http://dx.doi.org/10.1136/qshc.2008.029066>.
- Batalden P, Leach D, Swing S, Dreyfus H, Dreyfus S. General competencies and accreditation in graduate medical education. *Health Aff (Millwood)* 2002 Sep-Oct;21(5):103-11. DOI: <http://dx.doi.org/10.1377/hlthaff.21.5.103>.
- Interprofessional Education Collaborative Expert Panel. Core competencies for interprofessional collaborative practice: report of an expert panel. Washington, DC: Interprofessional Education Collaborative; 2011 May.
- Teaching for quality [Internet]. Washington, DC: Association of American Medical Colleges; 2013 [cited 2013 Jun 21]. Available from: [www.aamc.org/initiatives/cei/te4q/](http://www.aamc.org/initiatives/cei/te4q/).
- Cronenwett L, Sherwood G, Barnsteiner J, et al. Quality and safety education for nurses. *Nurs Outlook* 2007 May-Jun;55(3):122-31. DOI: <http://dx.doi.org/10.1016/j.outlook.2007.02.006>.
- Nasca TJ, Philibert I, Brigham T, Flynn TC. The next GME accreditation system—rationale and benefits. *N Engl J Med* 2012 Mar 15;366(11):1051-6. DOI: <http://dx.doi.org/10.1056/NEJMs1200117>.
- Davidoff F, Dixon-Woods M, Leviton L, Michie S. Demystifying theory and its use in improvement. *BMJ Qual Saf* 2015 Mar;24(3):228-38. DOI: <http://dx.doi.org/10.1136/bmjqs-2014-003627>.
- Bate P, Robert G, Fulop N, Øvretveit J, Dixon-Woods M. Perspectives on context [Internet]. London, England: The Health Foundation; 2014 Mar [cited 2015 Jul 22]. Available from: [www.health.org.uk/publication/perspectives-context](http://www.health.org.uk/publication/perspectives-context).
- Kaplan HC, Provost LP, Froehle CM, Margolis PA. The Model for Understanding Success in Quality (MUSIQ): building a theory of context in healthcare quality improvement. *BMJ Qual Saf* 2012 Jan;21(1):13-20. DOI: <http://dx.doi.org/10.1136/bmjqs-2011-000010>.
- Øvretveit J. Understanding the conditions for improvement: research to discover which context influences affect improvement success. *BMJ Qual Saf* 2011 Apr;20 Suppl 1:i18-23. DOI: <http://dx.doi.org/10.1136/bmjqs.2010.045955>.
- Taylor SL, Dy S, Foy R, et al. What context features might be important determinants of the effectiveness of patient safety practice interventions? *BMJ Qual Saf* 2011 Jul;20(7):611-7. DOI: <http://dx.doi.org/10.1136/bmjqs.2010.049379>.
- Hoffmann TC, Glasziou PP, Boutron I, et al. Better reporting of interventions: template for intervention description and replication (TIDieR) checklist and guide. *BMJ* 2014 Mar 7;348:g1687. DOI: <http://dx.doi.org/10.1136/bmj.g1687>.
- Portela MC, Pronovost PJ, Woodcock T, Carter P, Dixon-Woods M. How to study improvement interventions: a brief overview of possible study types. *BMJ Qual Saf* 2015 May;24(5):325-36. DOI: <http://dx.doi.org/10.1136/bmjqs-2014-003620>.
- Davies L, Batalden P, Davidoff F, Stevens D, Ogrinc G. The SQUIRE Guidelines: an evaluation from the field, 5 years post release. *BMJ Qual Saf* 2015 Jun 18. DOI: <http://dx.doi.org/10.1136/bmjqs-2015-004116>.
- Howell V, Schwartz AE, O'Leary JD, Mc Donnell C. The effect of the SQUIRE (Standards of Quality Improvement Reporting Excellence) guidelines on reporting standards in the quality improvement literature: a before-and-after study. *BMJ Qual Saf* 2015 Jun;24(6):400-6. DOI: <http://dx.doi.org/10.1136/bmjqs-2014-003737>.
- Stevens DP. SQUIRE and the evolving science of healthcare improvement. *BMJ Qual Saf* 2015 Jun;24(6):349-51. DOI: <http://dx.doi.org/10.1136/bmjqs-2015-004158>.
- Davies L, Donnelly KZ, Goodman DJ, Ogrinc G. Findings from a novel approach to publication guideline revision: user road testing of a draft version of SQUIRE 2.0. *BMJ Qual Saf* 2015 Aug 11. DOI: <http://dx.doi.org/10.1136/bmjqs-2015-004117>.
- Day RA. The origins of the scientific paper: the IMRaD format. *Journal of the American Medical Writers Association* 1989;4(2):16-18.
- Huth EJ. Writing and publishing in medicine. 3rd ed. Baltimore, MD: Lippincott Williams & Wilkins; 1999.
- Goodman D, Ogrinc G, Davies L, et al. Explanation and elaboration of the SQUIRE (Standards for Quality Improvement Reporting Excellence) guidelines, version 2.0: examples of SQUIRE elements in the healthcare improvement literature. *BMJ Qual Saf* [in process].
- Baily MA, Bottrell MM, Lynn J, Jennings B. Special report: the ethics of using QI methods to improve health care quality and safety. *Hastings Center Report* 2006 Jul-Aug;36(4):s1-40. DOI: <http://dx.doi.org/10.1353/hcr.2006.0054>.

## Publication

Various advantages result even from the publication of opinions; for though they are very liable to error in forming them, yet their promulgation, by exciting investigation, and pointing out the deficiencies of our information, cannot be otherwise than useful in the promotion of science.

— John Abernethy, FRS, 1764-1831, English surgeon